



THE LOGO



Clear space guideline equal to the width of the "a" from the logo

Community Tag version Use this community tag version of the logo when it appears by itself.



No Tag version

Use this version primarily with Auto Care logo lock-up. Some exceptions are permitted with approval from the Auto Care Association communications department.





Lock-up usage

Auto Care community logos should appear to the right of and proportionately balanced with the association logo.

Yang⁴⁰

Minimum logo size: 1.00 in.

COLOR PALETTE

This guide provides specifications for color reproduction using spot colors, CMYK process color, RGB and hexadecimal values.

PRIMARY YANG GRAY WHITE **YANG PURPLE** Pantone PMS 5425 Pantone PMS 267 C30 / M4 / Y4 / K30 C76/M96/Y0/K1 R125 / G154 / B170 R96/G38/B158 Hex #80A1B6 Hex #60269D **SECONDARY BLACK YANG BLUE** YANG CYAN Pantone PMS 534 Pantone PMS 2995 C98 / M85 / Y36 / K27 C81 / M12 / Y0 / K1 R28 / G53 / B94 R0 / G167 / B225

Hex #1C345E

REGIONAL	ME	ET-U	Р
COLORS			

PACIFIC	MOUNTAIN	CENTRAL	EASTERN
PACIFIC R65 / G216 / B135 Hex #41D887	MOUNTAIN R87 / G188 / B235 Hex #57BCEB	CENTRAL R214 / G237 / B62 Hex #D6ED3E	EASTERN R255 / G85/ B39 Hex #FF5527

Hex #00a7e1

COLOR USAGE PROPORTIONS

The chart to the right shows the approximate proportions at which the brand colors should appear in materials.

LOGO USAGE

Using the logo consistently will help build brand strength. The YANG logo should only appear in approved colors, which are limited to YANG Gray, YANG Black and reversed.



Preferred logo

The preferred logo should be used on white or light backgrounds.





Reversed logo

The reversed logo should be used on dark backgrounds, busy backgrounds or on photography to increase visibility.





Floating logo

The floating logo can be used with the community tag, "A Community of the Auto Care Association," appearing in the artwork. The logo can be used without the community tag label (i.e. apparel) only with permission from Auto Care Association communications department.





INCORRECT USAGE



Do not use the logo in a non-approved color.



Do not stretch or modify the proportions of the logo.



Do not rotate or tilt the logo.



Do not apply drop shadow or any other effects.



Do not change size of letters within the rectangle of the logo.



Do not change location of letters within the rectangle.



Do not change the position of logo elements.




Do not use the logo without the proper color contrast.



Do not use floating logo near edge of artwork.



Do not use the logo on non-approved color backgrounds.



Do not use the logo on its side.



Do not use the floating logo with the Auto Care logo lock-up.




Do not use the logo on gradient backgrounds.

LEADERSHIP CONFERENCE LOGO



Minimum size 1.00"





REGIONAL MEET-UPS

Regional Meet-Ups are color-coded into four time zones.



PACIFIC

R65 / G216 / B135 Hex #41D887



MOUNTAIN

R87 / G188 / B235 Hex #57BCEB



CENTRAL

R214 / G237 / B62 Hex #D6ED3E



EASTERN

R255 / G85/ B39 Hex #FF5527

